

# CERTIFICATE OF ANALYSIS



Diamond CBD  
Customer: 3135 Griffin Road  
Fort Lauderdale, FL 33312

Batch #: 1112162  
Laboratory Number: ATL-15875

Report Issue Date: 10/9/2023  
Order Date: 10/4/2023  
Analysis Date: 10/9/2023

Sample Description:  
THCV Blend Gummy 25mg

Unit Weight: 4.5026g / Gummy



Extraction Technician: LL  
Analytical Chemist: LL

*Kim Dang*  
Laboratory Manager

## CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	2.251	0.050
CBD-A	<0.008	0.405	0.009

Analyte	LOQ (mg/g)	Results mg/gummy	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/gummy	%
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

<b>CBG-A</b>	<0.008	N/D	N/D
<b>CBG</b>	<0.007	0.901	0.020
<b>CBD</b>	<0.008	17.560	0.390
<b>THCV</b>	<0.008	1.981	0.044

<b>D9-THC</b>	<0.014	N/D	N/D
<b>D8-THC</b>	<0.005	N/D	N/D
<b>9S-D10-THC</b>	<0.005	N/D	N/D
<b>9R-D10-THC</b>	<0.002	N/D	N/D

<b>Max Active THC</b>	mg/gummy	%
	N/D	N/D

<b>Max Active CBD</b>	mg/gummy	%
	17.92	0.40

<b>Total Active Cannabinoids</b>	mg/gummy	%
	23.05	0.51

<b>Total Cannabinoids</b>	mg/gummy	%
	23.10	0.51

## NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>>

(954) 515 - 0200  
 info@accuratetestlab.com

